

FORM PTO/1449	SERIAL NO. Not Yet Assigned	CASE NO. 2003 P04569 US
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (use several sheets if necessary)	FILING DATE Herewith	GROUP ART UNIT Not Yet Assigned
APPLICANT(S): Kahn		

REFERENCE DESIGNATION U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER <small>Number-Kind Code (if known)</small>	DATE	NAME	CLASS/ SUBCLASS	FILING DATE
<i>AK</i>	A1	6,213,945	4/10/2001	Tynan		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER <small>Number-Kind Code (if known)</small>	DATE	COUNTRY	CLASS/ SUBCLASS	TRANSLATION YES OR NO

OTHER ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIAL		(Include name of author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
<i>AK</i>	A2	Hadlock, F. et. al., "Fetal Crown-Rump Length: Reevaluation of Relation to Menstrual Age (5-18 weeks) with High-Resolution Real-Time US," Radiology, vol. 182, no. 2, pages 501-505, February 1992.
	A3	"Ultrasound Online CME Courses - Fetal Intrauterine Growth Restriction (IUGR)," www.gemedicalsystems.com/inen/rad/us/education/msucmeiu.html , 10 pages (printed 5/27/2003).
	A4	"Estimation of Fetal Weight," www.emedicine.com/med/topic3281.htm , 24 pages (July 11, 2002).
	A5	"About the Gestational Age Calculator," www.med.upenn.edu/fetus/calinfo.html , 1 page (1988).
	A6	"OB-Gyn Ultrasound FAQ's," www.womensclinicseattle.com/ultrasound.htm , 4 pages (printed 5/27/2003).
	A7	Hadlock, F. et. al., "Estimating Fetal Age: Computer-Assisted Analysis of Multiple Fetal Growth Parameters", Radiology, vol 152, no. 2, pages 497-501, August 1984.
	A8	Chitty, L. et. al., "Charts of fetal size: 2. Head measurements", British Journal of Obstetrics and Gynaecology, vol 101, pp 35-43, January 1994.
	A9	Chitty, et. al., "Charts of fetal size: 3. Abdominal measurements", British Journal of Obstetrics and Gynaecology, vol. 101, pp.1-7, February 1994.
	A10	Chitty, et. al., "Charts of fetal size: 4. Femur length", British Journal of Obstetrics and Gynaecology, vol. 101, pp.132-135, February 1994.
	A11	Hellman, L., et. al., "Growth and development of the human fetus prior to the twentieth week of gestation", Am. J. Obst. & Gynec., Volume 103, no. 6, pp. 789-800, March 15, 1969.
	A12	Goldstein, I., et. al., "Cerebellar measurements with ultrasonography in the evaluation of fetal growth and development", Am. J. Obst & Gynec., Volume 156, No. 5, pp 1065-1069, May 1987.

EXAMINER <i>AK</i>	DATE CONSIDERED 11/10/2005
-----------------------	-------------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449	SERIAL NO. Not Yet Assigned	CASE NO. 2003 P04569 US
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	FILING DATE Herewith	GROUP ART UNIT Not Yet Assigned
(use several sheets if necessary)	APPLICANT(S): Kahn	

EXAMINER INITIAL	OTHER ART - NON PATENT LITERATURE DOCUMENTS (Include name of author, title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date page(s), volume-issue number(s), publisher, city and/or country where published.	
<i>M</i>	A13	Hata, T. and R. Deter, "A Review of Fetal Organ Measurements Obtained with Ultrasound: Normal Growth", J. Clin. Ultrasound 210:155-174, March/April 1992.
	A14	Jeanty, P. et. al., "Estimation of Gestational Age from Measurements of Fetal Long Bones", Journal of Ultrasound in Medicine, Volume 3, pp. 75-83, February 1984.
	A15	Gardner et al., "Synchronization of Contrast Agent Destruction and Imaging for Perfusion Assessment," 2000 IEEE Ultrasonics Symposium, pages 1911 and 1914 (2000).
	A16	Fernandez et al., "Practica de la Ecocardiografia de Contraste," Cuantificacion de la Perfusion Miocardica Mediante Ecocardiografia de Contraste: Bases Metodologicas, pages 98-99 (1999).
	A17	"HDI 3000 Ultrasound System Reference Manual," pages 13-91 and 13-92 (1997).
	A18	"Sequoia Ultrasound System User Manual," Document No. 58092, Rev. 1, pages 115-119 (1999).
	A19	"Formulas and Calculations," http://www.echobyweb.com/htm_level2_eng/formulas&calculations.htm , 4 pages (printed 6/6/03).
	A20	Shinozuka et al., "Formulas for Fetal Weight Estimation by Ultrasound Measurements Based on Neonatal Specific Gravities and Volumes," American Journal of Obstetrics and Gynecology, pages 1140-1145 (1987).
	A21	Wei et al., "Basis for Detection of Stenosis Using Venous Administration of Microbubbles during Myocardial Contrast Echocardiography: Bolus or Continuous Infusion," Am Coll Cardiol 32:252-60 (1998).
<i>W</i>	A22	Linka et al., "Assessment of Transmural Distribution of Myocardial Perfusion with Contrast Echocardiography," Circulation 98: 1912-1920 (1998).

EXAMINER <i>W</i>	DATE CONSIDERED 4-10-2005
----------------------	------------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.